



## HEAD LAMP MILA ORION 2500 RE



- Extremely powerful light
- Robust design
- Comfortable to wear on the head
- IP 65



## HEAD LAMP MILA ORION 2500 RE

Head lamp with battery pack on the neck, so everything on your head. Gives a very wide cone of light with 2500 lumen. The lamp is well balanced thanks to the battery pack on the back. LEDs on the lens show the charging status of the battery. The head lamp does not flicker out but instead switches to the Low setting (150 lumen) for 1 hour, if the battery starts to run low. Equipped with a Go Pro-mount that gives the user maximum flexibility.





| ART. NO.                            | 690090204    |
|-------------------------------------|--------------|
| Mareld Segment                      | Power        |
| Depth                               | 45 mm        |
| No. of batteries                    | 1 qty        |
| Weight                              | 0.15 g       |
| Colour                              | Black        |
| Colour temperature                  | 5000 K       |
| Batteries included                  | Yes          |
| Working temperature                 | -20 to 50 °C |
| CE marking                          | Yes          |
| Rechargeable                        | Yes          |
| Voltage                             | 7.4          |
| Outside diameter                    | 57 mm        |
| Lamp life                           | 50000 h      |
| Light flux                          | 2500 lm      |
| Charging time                       | 2.5 h        |
| Cable length                        | 32 cm        |
| Effect                              | 18 W         |
| Cable type                          | PUR 2x0.5mm  |
| Impact resistant height             | 1 m          |
| Range                               | 100 m        |
| Operating time energy saving output | 40 h         |
| Operating time 50% output           | 4.5 h        |
| Operating time 100% output          | 1.5 h        |
| LED technology                      | Luxeon       |
| Light source                        | LED          |
| Main material                       | Aluminium    |
| Enclosure class IP                  | IP65         |



## WWW.MARELDPROLIGHTING.COM

**MARELD PRO LIGHTING** 

Phone: +46 322 60 60 00 info@mareldprolighting.com mareldprolighting.com